



February 14, 2012

Seattle Sperm Bank  
4915 25th Ave Ne Ste 204  
SEATTLE, WA 98105

Test Results of: 8778, DONOR  
DOB: [REDACTED] Age: 18.9 Y Sex: M  
Collected on: 02/09/2012  
Received on: 02/09/2012  
Reported on: 02/14/2012

Branch Number: WAB55  
Account Number: 46857540  
Specimen Number: 040-129-0495-0  
Specimen Type: Blood

Patient ID#: 8778

Physician: OLLIFFE,JE

Test: Cystic Fibrosis, DNA Analysis

Result:

**Negative for 32 mutations**

**Interpretation:**

This individual is negative for the 32 most common cystic fibrosis (CF) mutations. This includes the mutations recommended by ACOG/ACMG for routine carrier screening. The detection rate varies with ethnicity and is listed below. In the absence of a family history, the remaining risk that a person with a negative result could be a carrier is listed in the table. If there is a family history of CF, these risk figures do not apply. Please contact LabCorp- Esoterix at 1(888) 690-3935 for a revised report. Diagnosis of cystic fibrosis should not rely on DNA testing alone, but should take into consideration clinical symptoms and other test results, such as sweat chloride analysis. The presence of a rare mutation cannot be ruled out. The diagnostic criteria for cystic fibrosis are:

At least one characteristic clinical feature, *or*  
Family history of CF, *or*  
Positive neonatal screening test

AND

Positive sweat chloride on 2 separate occasions, *or*  
Presence of 2 **CFTR** mutations, *or*  
Positive nasal transmembrane potential

Cystic fibrosis is a common genetic disorder resulting in chronic pulmonary and gastrointestinal/pancreatic disease. There is wide variability in clinical symptoms. CF is inherited in a recessive manner, which means that both parents must be carriers to have an affected child. When both parents are carriers, there is a 25% chance with each pregnancy that the child will be affected. Genetic counseling and CF molecular testing are recommended for the reproductive partners and at-risk family members of CF carriers.

Ethnicity	Detection Rate	Carrier Risk	Remaining carrier risk given a negative result
Ashkenazi Jewish	97%	1/25	1/800
Caucasian (non-Hispanic)	90%	1/25	1/240
African-American	69%	1/65	1/207
Hispanic	73%	1/46	1/168
Asian	55%	1/90	1/198

**Mutations:**

G85E	A455E	S549N	R1162X	711+1 G→T	2184delA	3876delA
R117H	ΔI507	S549R	W1282X	1078delT	2789+5 G→A	3905insT
R334W	ΔF508	G551D	N1303K	1717-1 G→A	3120+1 G→A	
R347H	V520F	R553X	394delTT	1898+1 G→A	3659delC	
R347P	G542X	R560T	621+1 G→T	2183AA→G	3849+10kb C→T	

**Methodology:**

DNA analysis of the **CFTR** gene was performed by the oligonucleotide ligation assay. Molecular-based testing is highly accurate, but as in any laboratory test, rare diagnostic errors may occur. When R117H is positive, reflex testing for 5T is performed. Reflex testing for the F508C, I506V and I507V polymorphisms is performed to rule out false positive ΔF508 homozygotes, using Tm Bioscience/Luminex primer extension chemistry. The assay provides information intended to be used for carrier screening in adults of reproductive age, as an aid in newborn screening, and as a confirmatory test for another medically established diagnosis in newborns and children. The test is not indicated for use in fetal diagnostic testing, pre-implantation screening, or for any stand-alone diagnostic purposes without confirmation by another medically established diagnostic product or procedure.

**References:**


1. Watson, et al. (2004) *Genet Med* 6:387-91
2. Richards, et al. (2002) *Genet Med* 4:379-391
3. Preconception and prenatal carrier screening for cystic fibrosis: (2001)ACOG.ACMG publication

Results Released By: Frank K. Fujimura, Ph. D., FACMG, Director  
Report Released By: Frank K. Fujimura Ph.D., FACMG, Director

Samuel H. Pepkowitz, MD  
Medical Director, Esoterix

LabCorp - Esoterix  
4301 Lost Hills Road, Calabasas Hills, CA, 91301 (888) 690-3935

This document contains private and confidential health information protected by state and federal law.



Seattle Sperm Bank

4915 25th Ave Ne Ste 204  
 SEATTLE, WA 98105  
 Ph: (206)588-1484  
 Fax: (206) 588-1485 WAB-55

**LCLS Specimen Number: 040-129-0495-0**

**Patient Name: 8778, DONOR**

**Date of Birth:** [REDACTED]

**Gender: M**

**Patient ID: 8778**

**Lab Number: (J12-810 L**

**Indications: DONOR**

**Account Number: 46857540**

**Ordering Physician: Dr. OLLIFFE**

**Specimen Type: BLOOD**

**Date Collected: 02/09/2012**

**Date Received: 02/10/2012**

**CoPath Number:**

**Client Reference:**

**Test: Chromosome, Blood, Routine**

**Date Reported: 02/22/2012**

**Cells Counted: 20**

**Cells Analyzed: 20**

**Cells Karyotyped: 2**

**Band Resolution: 500**

**CYTOGENETIC RESULT: 46,XY**

**INTERPRETATION: NORMAL MALE KARYOTYPE**

Cytogenetic analysis of PHA stimulated cultures has revealed a MALE karyotype with an apparently normal GTG banding pattern in all cells observed.

This result does not exclude the possibility of subtle rearrangements below the resolution of cytogenetics or congenital anomalies due to other etiologies.



Seattle Sperm Bank

4915 25th Ave Ne Ste 204  
SEATTLE, WA 98105  
Ph: (206)588-1484  
Fax: (206) 588-1485 WAB-55

**LCLS Specimen Number:** 040-129-0495-0

**Patient Name:** 8778, DONOR

**Date of Birth:** [REDACTED]

**Gender:** M

**Patient ID:** 8778

**Lab Number:** (J12-810 L

**Indications:** DONOR

**Account Number:** 46857540

**Ordering Physician:** Dr. OLLIFFE


**Specimen Type:** BLOOD

**Date Collected:** 02/09/2012

**Date Received:** 02/10/2012

**CoPath Number:**

**Client Reference:**





Seattle Sperm Bank

4915 25th Ave Ne Ste 204  
SEATTLE, WA 98105  
Ph: (206)588-1484  
Fax: (206) 588-1485 WAB-55

**LCLS Specimen Number:** 040-129-0495-0

**Patient Name:** 8778, DONOR

**Date of Birth:** [REDACTED]

**Gender:** M

**Patient ID:** 8778

**Lab Number:** (J12-810 L

**Indications:** DONOR

**Account Number:** 46857540

**Ordering Physician:** Dr. OLLIFFE

**Specimen Type:** BLOOD

**Date Collected:** 02/09/2012

**Date Received:** 02/10/2012

**CoPath Number:**

**Client Reference:**


*I. K. Gadi*

Inder K. Gadi, PhD, FACMG  
Board Certified Cytogeneticist

Test Site: Dynacare Laboratories  
550 17th Ave. Suite 200, SEATTLE, WA, 98122-5789 (206) 861-7050

David Corwin, M.D.  
Medical Director  
Peter Papenhausen, PhD  
National Director of Cytogenetics

This document contains private and confidential health information protected by state and federal law.



**SMN1 Copy Number Analysis**

**Patient Name:** Donor 8778

**DOB:** [REDACTED]  
**SSN #:** [REDACTED]

**Age:** 18 yrs  
**Gender:** Male

803037 / 803038  
 Seattle Sperm Bank  
 4915 25th Avenue East  
 Suite 204W  
 Seattle, WA 98105  
 USA

**Specimen #:** 62045274-17

**Case #:** 61934139 **Patient ID #:** 61685738  
**Date Collected:** 02/09/2012 **Date Received:** 02/11/2012

**Referring Physician:** Jeffrey Olliffe  
**Genetic Counselor:**

**Client Lab ID #:**  
**Hospital ID #:**  
**Specimen ID #:**  
**Specimen(s) Received:** 1 - Yellow (ACD) 10 ml round bottom tube(s)  
**Ethnicity:** Asian

**Specimen Type:** Peripheral Blood

**Clinical Data:** Carrier Test/Gamete donor

**RESULTS: SMN1 copy number: 2 (Reduced Carrier Risk)**

**INTERPRETATION:**

This individual has an SMN1 copy number of two. This result reduces but does not eliminate the risk to be a carrier of SMA. Ethnic specific risk reductions based on a negative family history and an SMN1 copy number of two are provided in the Comments section of this report.

**COMMENT:**

Spinal muscular atrophy (SMA) is an autosomal recessive disease of variable age of onset and severity caused by mutations (most often deletions or gene conversions) in the survival motor neuron (SMN1) gene. Molecular testing assesses the number of copies of the SMN1 gene. Individuals with one copy of the SMN1 gene are predicted to be carriers of SMA. Individuals with two or more copies have a reduced risk to be carriers. (Affected individuals have 0 copies of the SMN1 gene.)

This copy number analysis cannot detect individuals who are carriers of SMA as a result of either 2 (or very rarely 3) copies of the SMN1 gene on one chromosome and the absence of the SMN1 gene on the other chromosome or small intragenic mutations within the SMN1 gene. This analysis also will not detect germline mosaicism or mutations in genes other than SMN1. Additionally, de novo mutations have been reported in approximately 2% of SMA patients.

Carrier Frequency and Risk Reductions for Individuals with No Family History of SMA				
Ethnicity	Detection Rate <sup>1</sup>	A priori Carrier Risk <sup>1</sup>	Reduced Carrier Risk for 2 copy result	Reduced Carrier Risk for 3 copy result
Caucasian	94.9%	1:35	1:632	1:3,500
Ashkenazi Jewish	90.2%	1:41	1:350	1:4,000
Asian	92.6%	1:53	1:628	1:5,000
Hispanic	90.6%	1:117	1:1061	1:11,000
African American	71.1%	1:66	1:121	1:3,000
Mixed Ethnicities	For counseling purposes, consider using the ethnic background with the most conservative risk estimates.			

**METHOD/LIMITATIONS:** Specimen DNA is isolated and amplified by real-time polymerase chain reaction (PCR) for exon 7 of the SMN1 gene and at least one reference gene. A mathematical algorithm is used to calculate and report SMN1 copy numbers of 0, 1, 2 and 3. Based upon this analysis, an upper limit of 3 represents the highest degree of accuracy in reporting SMN1 copy number with statistical confidence. Sequencing of the primer and probe binding sites is performed on all fetal samples and samples with one copy of SMN1 by real-time PCR to rule out the presence of sequence variants which could interfere with analysis and interpretation. False positive or negative results may occur for reasons that include genetic variants, blood transfusions, bone marrow transplantation, erroneous representation of family relationships or contamination of a fetal sample with maternal cells.

**REFERENCES:**

1. Carrier frequency and detection rate are calculated based on analysis of allele frequencies among > 1000 individuals from each ethnic group noted (Hendrickson BC, Donohoe C, et al. J Med Genet. 2009; 46:641-644). 2. Online review of SMA: <http://www.genereviews.org/profiles/sma>

The test was developed and its performance characteristics have been determined by Esoterix Genetic Laboratories, LLC. The laboratory is regulated under the Clinical Laboratory Improvement Amendments of 1988 (CLIA) as qualified to perform high complexity clinical testing. This test must be used in conjunction with clinical assessment, when available. Integrated Genetics is a business unit of Esoterix Genetic Laboratories, LLC, a wholly-owned subsidiary of Laboratory Corporation of America Holdings.

Electronically Signed by: Hui Zhu, Ph.D. FACMG, on 02/15/2012  
 Reported by: /